Doc WM87

Waste Master 'Always Connected' Pre-Install Quick Check

✓ Motor Coaches – Class A



✓ Motor Homes – Class C



√ Camper Vans – Class B+




√ Van Conversions – Class B





Waste Master 'Always Connected' Sewer System at a glance – ONE Simple observation to determine Waste Master install in a Motor Coach Bay.



Min. clear space required for WM Hose System install is 24"W x 20"D x 7"H below plumbing terminations. female Cam Loc shown vertical may be installed horizontal in smaller bays to save space.

IF this is met, then YES! Waste Master can be EASILY installed.

BEFORE WM Install



Example of a bay that easily meets minimum space requirement for in-bay hose storage.

AFTER WM Install



Waste Master 'Always Connected' Hose System installed with in-bay hose storage. Vent Kit seen on female Cam Loc fitting.



Another example of Waste Master 'Always Connected' Hose System with in-bay hose storage. Vent Kit on female Cam Loc fitting (lower picture).

AFTER WM Install







Example of Waste Master installed in restricted space with horizontal female Cam Loc. In some bays this may relieve room for in-bay storage. In this example, hose (not shown) is connected when required but stored outside bay.

AFTER WM Install





Questions? Special or unique configuration?



We are able to assess your situation and suggest if modifications are feasible to install Waste Master System.

Call Toll Free 1-877-787-8833 and email pictures of your RV bay for advice.

